

**MICROLEPIDOPTERA REVIEW OF 2001**J. R. LANGMAID<sup>1</sup> AND M. R. YOUNG<sup>2</sup><sup>1</sup>Wilverley, 1 Dorrita Close, Southsea, Hampshire PO4 0NY. (john@langmaidj.freeserve.co.uk)<sup>2</sup>Cultery Field Station, Department of Zoology, University of Aberdeen, Newburgh, Aberdeenshire AB41 6AA. (nhi220@abdn.ac.uk)**Abstract**

New vice-county records and other noteworthy records of microlepidoptera made in the British Isles during the year 2001 are listed and discussed.

**Introduction**

It is pleasing to report that the year 2001 produced an excellent crop of new records for microlepidoptera, despite yet another season when leaf-miners were generally scarce and the overall number of moths recorded was regarded as poor.

The weather in 2001 was very variable and at times dramatic. The early months were rather sunny and dry in the southern half of the UK, but Scotland had far more snow than in recent years, in a return to more "typical" Scottish winters. There were also short spells of colder weather in other parts of the UK but generally the recent milder winter conditions were repeated. April was rather wet but of average temperature and May was dry to start with but became dull and wet in the latter half in the south. However, the north was sunnier than normal before a cool and changeable June everywhere. June is often the high point for recording adult micros, and so the poor weather was most disappointing and it is some time since Britain had sunny and warm weather in early summer. July was an average month in most places, but was dull in the north, and August had its usual episodes of very warm conditions, with record highs at the bank holiday weekend. By September it had become rather dull and cool, although significantly sunnier than usual in Northern Ireland. Finally, the last part of the year was generally very mild, with some episodes of very heavy rain but also drier than usual spells in between.

Interest in microlepidoptera seems to be increasing for at least the larger species, with many more recorders including the Pyralidae in their remit. Perhaps this is due to the availability since the 1980s of Barry Goater's excellent book but it is surely also because of the active recording scheme run by Tony Davis. This is due to result in a provisional atlas in 2003 and all recorders are urged to send in their records in time for this, so that it is as complete as possible. The journal *Atropos* has also helped, for pyralids feature strongly on its pages and its colour plates have allowed the illustration of difficult species, such as those in the genus *Dioryctria*. However, the smaller and more obscure micro species remain poor relations and cryptic species such as the Psychidae are very much neglected. With the arrival of volume 4 of *The Moths and Butterflies of Great Britain and Ireland*, there is now a reasonably recent text on all the micros, and we do hope that this will encourage more attention for all of them. There are also embryonic recording schemes for some other groups, including the leaf-miners and the Gelechiidae and it is hoped that these will also help generate interest.

The field work needed to produce information for volume 4 of *MBGBI* has resulted in much more understanding of the life cycles of the Oecophoridae and Gelechiidae, with a number of species such as *Levipalpus hepatariella* (Lienig & Zeller) and *Dichomeris juniperella* (Linnaeus) being bred in Britain for the first time, showing what can be achieved with focus on neglected groups. The wealth of new records at the northern and western edges of known distributions also shows that there is much to be gained by exploring new areas and we do hope that this will continue. It is also clear that some species are continuing to spread rapidly, following their invasion of Britain, often taking advantage of the widespread occurrence of their foodplants in parks and gardens. Notably *Phyllonorycter platani* (Staudinger), *P. leucographella* (Zeller), *Argyresthia trifasciata* Staudinger and *A. cupressella* Walsingham have all been recorded many miles from their "beach-head", with *P. leucographella* even reaching Scotland.

There are a number of species that are new to the UK but some of these are adventives that have been found as larvae on imported plants. Pomegranates produced both *Stathmopoda diplaspis* (Meyrick) and *Anatrachyntis badia* (Hodges), for example, and *Diplopseutis periersalis* (Walker) is an Australian species that is also clearly adventive. A second specimen of *Herpetogramma licarsialis* (Walker) was also found, following the first in the Isle of Wight in 1998, and this hails from the tropics and is probably also a casual import. A single specimen of *Cosmopterix pulchrimella* Chambers was taken in Dorset, and subsequent searches for its larvae on *Parietaria* were unsuccessful, so it is thought that the specimen must have been a stray. However, other new species seem to be either previously overlooked or newly invading species. Bob Heckford kindly allows us to mention *Syncopacma albifrontella* (Heinemann) which he found in Aberdeenshire and which will soon be the subject of a formal paper. This would seem to be a long term resident that has been previously overlooked. *Dioryctria sylvestrella* (Ratzeburg) is more difficult to explain. It belongs to a group that is very difficult to identify and it may be a long term resident that has been previously confused with others in the same genus. However, since publication of details on how to distinguish it from the others, a number of collections have been searched carefully and the earliest specimen discovered dates only from 1995. Since then it is now known to have been caught in East Anglia and from Kent to Dorset. Perhaps it is a new arrival from the Continent, where it is said to be widespread. Although *Catoptria verellus* (Zincken) is not entirely new, the two specimens recorded from Kent and Hampshire are the first since 1895. It seems likely that these new specimens were strays from France.

Mention should finally be made of those species that have been found well away from their usual range, or that are so rare as to deserve special attention. *Bohemannia auriciliella* (Joannis) is highly restricted and little known but has now been found in four counties in Southern England. *Leucoptera lathyrifoliella* (Stainton) and *Phteoechoroa sodaliana* (Haworth) are both new to Wales; the former is otherwise recorded mainly from S and SW England and the latter from chalk and limestone areas of E and SE England, Cumbria and the Burren. *Gelechia cuneatella* Douglas is mostly restricted to SE England and East Anglia but has old records from Yorkshire and its occurrence from South Lancashire may indicate that it is actually still found in the northern part of its range. Finally *Lampronia pubicornis* (Haworth) has been bred

from Aberdeenshire but is otherwise only known from limestone areas of northern England and from the Burren and the Isle of Man. The new Scottish site is quite atypical and makes the single other Scottish record seem more likely and significant.

We are most grateful to the following recorders for their many records and help. In the text they are indicated by their initials, whereas other names are spelt out fully. D.J.L. Agassiz, J. Baker, H.E. Beaumont, K.P. Bland, A. & J. Coates, P.D.M. Costen, A.M. Davis, B. Dickerson, R.J. Dickson, R.D. Edmunds, B. Elliott, M.J. Ellis, C.H. Fletcher, R.G. Gaunt, D.J. Gibbs, B. Goodey, D.G. Green, A. Graham, J.N. Greatorex-Davies, R.J. Heckford, B.P. Henwood, R.I. Heppenstall, J. Higgott, S.H. Hind, D. Hipperson, M.R. Honey, I. Kimber, S.A. Knill-Jones, J.R. Langmaid, N.A. Littlewood, K. McCabe, J.A. McGill, A.J. Mackay, D.V. Manning, A. Musgrave, D. O'Keeffe, R.M. Palmer, S.M. Palmer, M.S. Parsons, S.J. Patton, C.W. Plant, A.W. Prichard, J.T. Radford, A.P. Russell, M.A. & W.J. Scott, M. Skevington, D.J. Slade, E.G. Smith, M.H. Smith, P. Talbot, I.R. Thirlwell, M.R. Young.

We include records that are new to each vice-county, as judged by the maps now held by JL but "inherited" from Maitland Emmet; as well as significant records of rare or little known species. The aim of all this effort is to help microlepidopterists appreciate the importance of their own records by having an up to date view of the distribution of each species. So many years' worth of new records have now accumulated that for some families (such as the Nepticulidae), it is quite difficult to visualise the current map. This emphasises the need for schemes that aim to produce regular distribution maps and we wish to encourage these. Please do write to us with comments and suggestions for improvements to our current annual reviews.

We do hope that current recorders will provide new records for 2002 and that new recorders are encouraged to come forward. We welcome all records that extend the knowledge of our microlepidoptera and are willing to check records against our database of existing vice-county records. Please also help by sending in records in the exact format in which they are published here, to save re-typing with possible errors creeping in, and do send records electronically if that is possible, using the address "john@langmaidj.freeserve.co.uk". In the systematic list the nomenclature follows that of John Bradley's 2000 check-list and the numbers are those of the "log book".

## SYSTEMATIC LIST

### ERIOCRAINIIDAE

- 8      *Eriocrania unimaculella* (Zett.) — Brewlands Bridge (90) tenanted mines 2.vi.2001 — JRL
- 12     *E. sangii* (Wood) — Brewlands Bridge (90) tenanted mine 2.vi.2001 — JRL
- 13     *E. semipurpurella* (Steph.) — Brewlands Bridge (90) tenanted mine 2.vi.2001 — JRL

### NEPTICULIDAE

- 33     *Bohemannia auriciliella* (Joann.) — Pine Wood (22) 22.vi.2001, genitalia det. — DJG
- 20     *Ectoedemia decentella* (H.-S.) — Markfield (55) 2.vii.2001 — AJM
- 25     *E. intimella* (Zell.) — Risley Moss (59) mine on *Salix* sp. 7.xi.2001 — SHH & KM; Cromwell Bottom NR (63) tenanted mines on *Salix caprea* 23.xi.2001 — PT
- 26     *E. agrimoniae* (Frey) — Selborne (12) mines on *Agrimony eupatoria* 13.x.2001 — RDE

- 30 *E. arcuatella* (H.-S.) — Northwich (**58**) tenanted mine on *Potentilla reptans* 9.ix.2001 — SHH & A. Wander
- 31 *E. rubivora* (Wocke) — Ripon (**64**) vacated mines on *Rubus caesius* and *R. fruticosus* xi.2001 — CHF
- 34 *E. occultella* (Linn.) — Balinoe (**106**) vacated mines on *Betula* 4.xi.2001 — D. Williams per MRY
- 35 *E. minimella* (Zett.) — North Dean (**63**) mines on *Betula* 16.ix.2001 — SHH, IK & PT
- 36 *E. quinquella* (Bed.) — Staplegrove (**5**) vacated mines on *Quercus robur* 30.xi.2001 — JAMcG; Gilston (**20**) tenanted mines on *Quercus robur* 18.x.2001 — CWP, Ent. Rec. **113**: 255-256
- 37 *E. albifasciella* (Hein.) — Carbisdale (**106**) vacated mines on *Quercus* 4.xi.2001; Altass (**107**) vacated mines 4.xi.2001 — D. Williams per MRY
- 38 *E. subbimaculella* (Haw.) — Brackley Gate (**57**) mines on oak 3.xi.2001 — SHH
- 39 *E. heringi* (Toll) — Moidart (**97**) mines 17.xi.2001 — MRY
- 56 *Stigmella dryadella* (Hofm.) — Caenlochan Crags (**90**) mines on *Dryas* 27.vii.2001 — KPB
- 64 *S. continuella* (Staint.) — Carrington Moss (**58**) vacated mine on *Betula* 11.x.2001 — KM & SHH; North Dean (**63**) vacated mines on *Betula* 16.ix.2001 — SHH, IK & PT
- 65 *S. speciosa* (Frey) — Crakemarsh (**39**) mine on *Acer pseudoplatanus* 22.ix.2001 — SHH
- 67 *S. plagicolella* (Staint.) — Linside (**107**) vacated mines on *Prunus spinosa* 28.x.2001 — D. Williams per MRY
- 70 *S. obliquella* (Hein.) — Ribchester (**60**) vacated mine on *Salix alba* 8.x.2001 — KM & SMP
- 74 *S. assimilella* (Zell.) — Ellesmere Port (**58**) vacated mine on *Populus alba* 22.viii.2001 — SHH
- 75 *S. floslactella* (Haw.) — Strathoykel (**106**) vacated mines on *Corylus* 4.xi.2001 — D. Williams per MRY
- 81 *S. hemargyrella* (Koll.) — Achany (**107**) vacated mines on *Fagus* 16.x.2001 — D. Williams per MRY
- 82 *S. paradoxa* (Frey) — Cheddleton (**39**) mines on *Crataegus* 10.viii.2001 — SHH
- 83 *S. atricapitella* (Haw.) — Cannop (**34**) mines 26.xi.2000 — MJE; Brackley Gate (**57**) vacated mines on oak 3.xi.2001 — SHH
- 85 *S. suberivora* (Staint.) — Bullen Hill Farm (**8**) mine on *Quercus ilex* 14.x.2000 — EGS & MHS
- 86 *S. roborella* (Johan.) — Skelmersdale (**59**) vacated mines on *Quercus* x.2001 — C. Darbyshire per SMP
- 102 *S. aceris* (Frey) — Tower Hamlets (**21**) vacated mine on *Acer campestre* 11.xii.2001 — CWP
- 103 *S. nylandriella* (Tengst.) — Ashridge (**20**) mines on *Sorbus aucuparia* 4.viii.2001 — C. Watson per CWP, Ent. Rec. **113**: 255-256
- 108 *S. crataegella* (Klim.) — Lower Gledfield (**106**) vacated mines on *Crataegus* 4.xi.2001 — D. Williams per MRY
- 111 *S. microtheriella* (Staint.) — Strathoykel (**106**) — vacated mines on *Corylus* 4.xi.2001 — D. Williams per MRY
- 114 *S. glutinosae* (Staint.) — Altass (**107**) vacated mines on *Alnus glutinosa* 11.xi.2001 — D. Williams per MRY
- 115 *S. alnetella* (Staint.) — Altass (**107**) vacated mines on *Alnus glutinosa* 28.x.2001 — D. Williams per MRY

## TISCHERIIDAE

- 123 *Tischeria ekebladella* (Bjerk.) — Inchmarlo (91) mine on oak 14.xi.2001 — RMP

## PRODOXIDAE

- 136 *Lampronia corticella* (Linn.) — Carbeth Estate (86) 12.vi.2001 — JRL  
 138 *L. fuscatella* (Tengst.) — Potteric Carr, Doncaster (63) 25.v.2001, first Yorkshire record for 83 years — HEB  
 139 *L. pubicornis* (Haw.) — Inver (92) pupa in spun leaf of *Rosa sherardii*, moth bred, genitalia det. KPB, furthest north and second Scottish record, previously unrecorded foodplant — RMP & JRL

## ADELIDAE

- 145 *Nemophora minimella* ([D. & S.]) — Tailend Moss (84) 15.vii.2001 — KPB

## PSYCHIDAE

- 191 *Acanthopsyche atra* (Linn.) — Stokeford Heaths (9) case containing pupal exuviae 20.v.2001 — DJG

## TINEIDAE

- 200 *Psychoides filicivora* (Meyr.) — Coomb (44) 19.v.2001 — S. Bosanquet & JB

## BUCCULATRICIDAE

- 272 *Bucculatrix cidarella* Zell. — Altass (107) empty mine on *Alnus glutinosa* 11.xi.2001 det. MRY — D. Williams per MRY  
 273 *B. thoracella* (Thunb.) — Fleet (12) mines on *Tilia X vulgaris* 20.x.2001 — RDE; Cardiff (41) 30.viii.2001 — DJS; Rossington (63) 1.viii.2001 — RIH

## GRACILLARIIDAE

- 281 *Caloptilia populetorum* (Zell.) — Ipswich (25) 26.vi.2001 — N. Sherman per AWP  
 284 *C. rufipennella* (Hübn.) — Crakemarsh (39) spinnings on *Acer pseudoplatanus* 22.ix.2001 — SHH; Hutton Conyers, Ripon (65) 3.iv.2001, det. HEB — CHF  
 285 *C. azaleella* (Brants) — Rickmansworth (20) 21.iii.2001 — P. Clack per CWP, Ent. Rec. 113: 255-256; Whetstone (55) 25.v.2001 — MS; Blackford (83) 1.vii.2001 — KPB  
 287 *C. robustella* Jäckh — Hutton Conyers (65) 30.vii.2001, det. HEB — CHF  
 288 *C. stigmatica* (Fabr.) — Mabie Forest (73) mines on *Salix* 22.ix.2001 — RMP  
 301 *Parornix betulae* (Staint.) — Craggan Wood (94) 25.v.2001 — MRY  
 302 *P. fagivora* (Frey) — Llanarthne (44) larval sp inning on *Fagus* 27.vii.2001 — DJS  
 302a *P. carpinella* (Frey) — Rockbourne (8) mines and spinnings on *Carpinus betulus* 3.x.2001 — DGG  
 308 *P. finitimella* (Zell.) — Crakemarsh (39) larvae on *Prunus spinosa* 22.ix.2001 — SHH; Abbotsholme School (57) larvae on *P. spinosa* 4.x.2001 — SHH; Alsager (58) larvae on *P. spinosa* 29.ix.2001 — E. Kearns, B.T. Shaw & SHH  
 313 *Acrocercops bronniardella* (Fabr.) — Davenham (58) vacated mines on oak 13.x.2001 — KM, B.T. Shaw, A. Wander & SHH; St Helens (59) 25.vii.2001 det. SMP — D. Owen per SMP  
 321a *Phyllonorycter platani* (Staud.) — Ipswich (25) mines on *Platanus* 1.x.2001 — N. Sherman per AWP; Great Livermere (26) mine 24.xi.2001 — D. Underwood per AWP; Bristol (34) mine 17.xi.2001 — DJG

- 323 *P. oxyacantheae* (Frey) — Lower Gledfield (**106**) mines on *Crataegus* 4.xi.2001; Linside (**107**) mines 28.x.2001 — D. Williams *per MRY*
- 326 *P. blanckardella* Fabr. — Hutton Conyers (**65**) mines on apple 4.xi.2001, moths bred, genitalia det. HEB — CHF
- 329 *P. spinicolella* (Zell.) — Linside (**107**) mines on *Prunus spinosa* 28.x.2001 — D. Williams *per MRY*
- 332a *P. leucographella* (Zell.) — Cowes (**10**) mines on *Pyracantha* 31.iii.2001 — D.T. Biggs *per JRL, Ent. Rec.* **114**: 44; Swineholes Wood (**39**) mine on *Sorbus aucuparia* 9.viii.2001 — SHH; Bynea (**44**) mines 28.x.2001 — B. Stewart *per JB*; Lightfoot Green (**60**) 12.x.2001 tenanted mine on *Pyracantha* — SMP
- 342 *P. coryli* (Nic.) — Strathoykel (**106**) mines on *Corylus* 4.xi.2001 — D. Williams *per MRY*
- 343 *P. quinnata* (Geoffr.) — Goblin Combe (**6**) mines on *Carpinus* 23.ix.2001 — MJE; Crakemarsh (**39**) mines 22.ix.2001 — SHH; Brighouse (**63**) mines on *Carpinus* 28.x.2001, moths bred — PT & IK
- 344 *P. strigulatella* (L. & Z.) — Lower Walditch (**9**) mines on *Alnus incana* 18.xi.2001, moths bred — MSP
- 354 *P. emberizaepenella* (Bouché) — Mabie Forest (**73**) mines on *Lonicera* 22.ix.2001 — RMP
- 357 *P. stettinensis* (Nic.) — Haresfield (**33**) 2.vi.2001 — R. Pearce *per RGG*; Llanarthne (**44**) mines 27.vii.2001 — DJS
- 359 *P. nicellii* (Staint.) — Strathoykel (**106**) mines on *Corylus* 4.xi.2001 — D. Williams *per MRY*
- 363 *P. platanoidella* (Joann.) — Rockbourne (**8**) mines on *Acer platanoides* 19.viii.2001 — DGG; Tattingstone (**25**) mines on *Acer platanoides* 23.x.2000; Knettishall Heath (**26**) mines 27.x.2001 — AWP; Bristol (**34**) mines 10.x.2001, moth bred — DJG; Abbotsholme School (**57**) mine 4.x.2001 — SHH

#### CHOREUTIDAE

- 388 *Prochoreutis myllerana* (Fabr.) — Balavil Fen (**96**) 22.vii.2001 — MRY

#### GLYPHIPTERIGIDAE

- 393 *Glyptipterix equitella* (Scopoli) — Billinge (**59**) 6.vii.2001 — C. Derbyshire *per SMP*

#### YPONOMEUTIDAE

- 407 *Argyresthia dilectella* Zell. — Hutton Conyers (**65**) 15.vii.2001, det. HEB — CHF
- 409a *A. trifasciata* Staud. — Stony Stratford (**24**) 31.v.2001, det. DVM — M. Killeby *per DVM*; Ipswich (**25**) 29.v.2001 — AWP; Cambridge (**29**) larvae in shoots of *Chamaecyparis lawsoniana* 6.ii.2001, moth bred — DJLA & JRL; St Ives (**31**) 24.v.2001 — JNG-D; St Annes (**60**) 26.v.2001 — J. Steeden *per SMP*
- 409b *A. cupressella* Wals. — Pine Wood (**22**) 22.vi.2001 — DJG
- 420 *A. pruniella* (Cl.) — Hutton Conyers (**65**) 23.vi.2000 — CHF
- 425 *Yponomeuta padella* (Linn.) — House of Dun (**90**) vi.2001 — MRY
- 426 *Y. malinellus* Zell. — Hutton Conyers (**65**) 14.vii.2001, det. HEB — CHF
- 428 *Y. rorrella* (Hüb.) — Rossington (**63**) 30.vii.2001 — RIH
- 430 *Y. plumella* ([D. & S.J]) — Morfa (**44**) 25.viii.2001 — JB
- 431 *Y. sedella* Treits. — Coedmore (**45**) — larvae on *Sedum telephium* 1.x.2001 — MSP
- 435 *Zelleria hepariella* Staint. — Hexton Chalk Pit (**20**) 20.x.2001 — CWP, *Ent. Rec.* **113**: 255-256

- 440 *Paraswammerdamia albicapitella* (Scharf.) — Oldbury (34) 28.vii.2000 — DJG  
 448 *Atemelia torquatella* (L. & Z.) — Mabie Forest (73) tenanted mines on *Betula pubescens* 22.ix.2001 — RMP  
 456 *Ypsolopha horridella* (Treits.) — Freshwater (10) 19.viii.2001 — SAK-J, *Ent. Rec.* 114: 44  
 252 *Ochsenheimeria urella* F. v. R. — Wavering Down (6) 15.vii.2001 — DJG  
 465 *Plutella porrectella* (Linn.) — Hutton Conyers (65) viii.2000 — CHF  
 468 *Rhigognostis incarnatella* (Steud.) — Ordiqhull (94) 23.ix.2001 — R. Leverton, *Atropos* 16: 77  
 473 *Acrolepiopsis assectella* (Zell.) — Gravesend (16) 10 & 27.viii.2001 — DJLA  
 476 *Acrolepia autumnitella* Curt. — Stony Stratford (24) 20.x.2001, det. DVM — M. Killeby per DVM; Crakemarsh (39) larvae on *Solanum dulcamara* 22.ix.2001, moths bred — SHH

## LYONETIIDAE

- 258 *Leucoptera lathyrifoliella* (Staint.) — Tonfanau (48) imago 29.viii.2001, mines on *Lathyrus sylvestris* 8.ix.2001 — AG, **New to Wales**  
 260 *L. malifoliella* (Costa) — Oldbury (34) vacated mine on *Malus* 14.ix.2001 — DJG

## COLEOPHORIDAE

- 488 *Goniodoma limoniella* (Staint.) — Welwick saltmarsh (61) cases on *Limonium vulgare* 30.v.2001, moths bred — HEB & RIH  
 490 *Coleophora lutipennella* (Zell.) — Hutton Conyers (65) 20.vii.2001, genitalia det. HEB — CHF  
 494 *C. coracipennella* (Hüb.) — Willen (24) 4.vii.2001, genitalia det. DVM — G.E. Higgs per DVM; Lightfoot Green (60) 6.vii.2001, genitalia det. — SMP  
 496 *C. milvipennis* Zell. — Astley Moss (59) cases on *Betula* sp. 9.ix.2001 — I. F. Smith per SMP  
 501 *C. siccifolia* Staint. — Leigh Woods (6) 30.vi.2001, genitalia det. — DJG  
 504 *C. lusciniaeapennella* (Treits.) — Nosterfield NR (65) 28.vii.2001, genitalia det. HEB — CHF  
 512 *C. binderella* (Kollar) — Flixton (59) 19.vii.2001 genitalia det. SMP — KM  
 516 *C. trifolii* (Curt.) — Heysham NR (60) 6.vii.2001 — P. Marsh & SMP  
 520 *C. fuscicornis* Zell. — Colchester (19) 28.v.2001, first known inland site — BG  
 536 *C. betulella* Hein. — Nosterfield NR (65) 28.vii.2001, genitalia det. HEB — CHF  
 537 *C. kuehnella* (Goeze) — Leigh Woods (6) 30.vi.2001, genitalia det. — DJG  
 559 *C. peribenanderi* Toll — Hutton Conyers (65) 23.vi.2001, genitalia det. HEB — CHF  
 564 *C. virgaureae* Staint. — Bemersyde Hill (81) cases on *Solidago* 27.x.2001 — KPB  
 565 *C. saxicolella* (Dup.) — Hutton Conyers (65) 25.vii.2001, genitalia det. HEB — CHF  
 566 *C. sternipennella* (Zett.) — Gt Staughton (31) — 27.vii.2001 — BD  
 578 *C. otidipennella* (Hüb.) — Pembrey Burrows (44) 24.v.2001 — S. Bosanquet & JB  
 581 *C. taeniipennella* H.-S. — Daneway (33) 8.vii.2000 — EGS & MHS  
 582 *C. glaucicolella* Wood — Daneway (33) 8.vii.2000 — EGS & MHS  
 585 *C. maritimella* Newm. — Dawlish Warren (3) cases on *Juncus maritimus* 11.v.2001, moths bred, first record since 1925 — BPH

## ELACHISTIDAE

- 609 *Elachista maculicerusella* Bruand — Llyn y gors (44) 5.vi.2001 — S. Bosanquet per JB

## OECOPHORIDAE

- 638a *Denisia albimaculea* (Haw.) — Scole (27) vi.2001 — M. Hall *per DH*  
 644 *Borkhausenia fuscescens* (Haw.) — Spinningdale (107) 18.viii.2001 det. MRY — P. Entwistle *per MRY*  
 646 *Telechrysis tripuncta* (Haw.) — Studham (30) 28.vi.2001, det. DVM — C.R.B. Baker *per DVM*  
 649 *Esperia sulphurella* (Fabr.) — St Cyrus (91) 11.vi.2001 — RMP & JRL  
 654 *Pleurota bicostella* (Clerck) — Braeour (109) 3.vii.2001 — D. Williams *per MRY*  
 877 *Stathmopoda pedella* Herr.-Schaff. — Flixton (59) 27.vii.2001 — KM  
 877a *S. diplaspis* (Meyrick) — Plymouth (3) larva in pomegranate from Iran 8.xii.2000, moth bred — RJH, **Adventive new to the British Isles**  
 664 *Diurnea lipsiella* ([D. & S.]) — Foyers (96) 13.x.2001 — MRY; Ledmore (107) 5.xi.2001 det. MRY — P. Entwistle *per MRY*  
 667 *Semioscopis steinkellneriana* ([D. & S.]) — Hutton Conyers (65) 25.iv.2000, det. HEB — CHF  
 670 *Depressaria daucella* ([D. & S.]) — Hexton Chalk Pit (20) 18.viii.2001 — CWP, *Ent. Rec.* **113**: 255-256  
 671 *D. ultimella* Staint. — Stony Stratford (24) 27.v.2001, genitalia det. DVM — M. Killeby *per DVM*  
 685 *Levipalpus hepatariella* (L. & Z.) — Glen Tilt (89) 5.ix.2001 — RJH; Newtonmore (96) — larvae in tubes in soil around *Antennaria* 6.vi.2001, moths bred, first record of larvae in Britain — RJH & JRL  
 698 *Agonopterix kaekeritziana* (Linn.) — Ketton (55) 1.viii.2001 — R. Follows, J. Wright & APR  
 700 *A. pallorella* (Zell.) — Hexton Chalk Pit (20) 18.viii.2001 — CWP, *Ent. Rec.* **113**: 255-256  
 710 *A. conterminella* (Zell.) — Whetstone (55) 22.vii.2001, first record since VCH — MS

## ETHMIIDAE

- 718 *Ethmia dodecea* (Haw.) — Freshwater (10) 7.vii.2001 — SAK-J, *Ent. Rec.* **114**: 44  
 722 *E. pyrausta* (Pallas) — The Cairnwell (92) at altitude 810m. 28.v.2001 — KPB

## GELECHIIDAE

- 724 *Metzneria lappella* (Linn.) — Hutton Conyers (65) 20.vi.2001, det. HEB — CHF  
 726 *M. metzneriella* (Staint.) — Newtonmore (96) 6.vi.2001 — RJH & JRL  
 729 *Isophrictis striatella* ([D. & S.]) — Walberton (13) 1.vii.2001 — JTR  
 731 *Eulamprotes atrella* ([D. & S.]) — Cranmore (10) 24.vii.2001 — SAK-J, *Ent. Rec.* **114**: 44  
 741 *Monochroa suffusella* (Dougl.) — Stony Stratford (24) 1.vii.2001, genitalia det. DVM — M. Killeby *per DVM*  
 743 *M. elongella* (Hein.) — Tilshead (8) 20.vi.2001 — MSP  
 745 *M. divisella* (Dougl.) — Portland (9) 7.vii.2001 — M. Cade *per PHS*  
 750a *Psamathocrita argentella* P. & M. — Arne (9) larvae on *Elytrigia atherica* 9.viii.2001 — BE & JRL; Hayling Island (11) larvae in florets of *Elytrigia atherica* vii-viii.2001, confirming suspected host plant — IRT & JRL  
 754 *Xystophora pulveratella* (H. - S.) — Nethy Bridge (96) larvae on *Trifolium pratense* 14.ix.2000, moths bred, previously unrecorded foodplant in Britain — RJH  
 777a *Bryotropha dryadella* (Zell.) — Berry Head (3) larva amongst *Ctenidium molluscum* 8.iv.2001, moth bred — RJH; Swanscombe (16) and Grays (18) larvae amongst *Bryum* and *Barbula* spp. 29.iii.2001, moths bred — DJLA & RJH

- 782 *B. senectella* (Zell.) — Blairlogie (87) larvae amongst *Bryum* sp. 2.vi.2001, moth bred — RJH
- 784 *B. galbanella* (Zell.) — Adderstonelee Moss (80) — 2.viii.2001 — KPB
- 789 *B. domestica* (Haw.) — Arthur's Seat (83) larvae in moss 17.ii.2001, moths bred — KPB
- 760 *Exoteleia dodecella* (Linn.) — Strath Aird, Skye (104) 18.vii.2001 det. MRY — P. Entwistle per MRY
- 761 *Athrips tetrapunctella* (Thunb.) — Nethy Bridge (96) larvae on *Vicia cracca* 14.ix.2000, moths bred, previously unrecorded foodplant in Britain — RJH
- 770 *Carpatolechia proximella* (Hübn.) — Pickworth (55) 25.v.2001, first record since VCH — MS, AJM, APR & M. Rossell
- 771 *C. alburnella* (Zell.) — Willen (24) 23.vii.2001, det. DVM — G.E. Higgs per DVM; Orrell (59) 28.vii.2001 — P. Alker & C. Derbyshire per SMP
- 790 *Chionodes fumatella* (Dougl.) — Bath (6) 14.viii.2001, genitalia det. — DJG
- 793 *Mirificarma lentiginosella* (Zell.) — Earls Barton (32) viii.2001, genitalia det. DVM — C. Wiltshire per DVM
- 801a *Gelechia senticetella* (Staud.) — Fleet (12) 29.vii.2001 — MA&WJS; Ipswich (25) 25.vii.2001 — JH; Cambridge (29) larva on *Chamaecyparis lawsoniana* 6.ii.2001, moth bred — DJLA
- 804 *G. cuneatella* Dougl. — Flixton (59) 29.vii.2001, genitalia det. SMP & DJLA — KM, *Ent. Rec.* **114**: 92-93
- 819 *Scrobipalpa costella* (H. & W.) — Hutton Conyers (65) 23.xi.2001, det. HEB — CHF
- 821 *S. murinella* (Dup.) — Glen Tilt (89) larva and vacated mines on *Antennaria* 5.ix.2001 — RJH
- 822 *S. acuminatella* (Sirc.) — Dunhog Hill (80) mines with larvae on *Cirsium palustre* 1.vii.2001 — KPB
- 825 *Phthorimaea operculella* (Zell.) — Great Bentley (19) 10.viii.2001, genitalia det. — J. Clifton per BG
- 843 *Aproaerema anthyllidella* (Hübn.) — Pembrey Burrows (44) 10.v.2001 — JB; Newtonmore (96) 6.vi.2001 — RJH & JRL
- 844 *Syncopacma larseniella* (Gozm.) — Double Arches Quarry (Heath and Reach) (30) 22.vi.2001, det. DVM — C.R.B. Baker per DVM
- 847a *S. albifrontella* (Hein.) — Morrone Birkwood (92) 5.vi.2001, genitalia det. — RJH, New to the British Isles
- 854 *Anacampsis blattariella* (Hubn.) — Silverdale Moss (60) 24.vii.2001 det. SMP — P. Cleary-Pugh per SMP
- 863 *Dichomeris juniperella* (Linn.) — Crathie & Rinabaich (92) larvae on *Juniperus* 2-3.vi.2001, moths bred — RJH & JRL
- 868 *Helcystogramma rufescens* (Haw.) — Hutton Conyers (65) 16.vii.2001, det. HEB, confirming a previously unpublished record in 1979 — CHF

#### BLASTOBASIDAE

- 873 *Blastobasis lignea* Wals. — Hutton Conyers (65) 21.vii.2001, det HEB — CHF
- 874 *B. decolorella* (Woll.) — Pembrey Burrows (44) 28.vii.2001 — JB; Hutton Conyers (65) 23.vi.2001, det HEB — CHF; Stenton (82) 28.v.2001 — A.E. Whittington per KPB; St Cyrus (91) 11.vi.2001 — RMP & JRL

## MOMPHIDAE

- 882 *Mompha locupletella* ([D. & S.]) — Brackagh Moss (**H37**) 16.vi.1999, det. MSP — A. Fowles per MSP
- 884 *M. miscella* ([D. & S.]) — St Mary's Loch (**79**) mines on *Helianthemum* 26.v.2001 — KPB

## COSMOPTERIGIDAE

- 896b *Cosmopterix pulchrimella* Chambers — Walditch (**9**) 13.x.2001 — MSP, *Ent. Gaz.* **53**: 93-96, **New to the British Isles**
- 897a *Anatrachynitis badia* (Hodges) — Plymouth (**3**) larvae in pomegranates, probably from Spain, 22.ix - 13.xi.2001, moths bred — RJH, **Adventive new to the British Isles**
- 898 *Limnaecia phragmitella* Staint. — Duddington Loch (**83**) infested *Typha* heads 4.vii.2001; Uphall (**84**) infested *Typha* heads 9.vi.2001 — KPB
- 902 *Chrysoclista lathamella* Fletch. — Titchfield (11) 17.vi.2001 — D.M. Appleton per RJD; Hickling Broad (**27**) 26.vi.2001 — DJLA

## SCYTHRIDIDAE

- 918 *Scythris limbella* (Fabr.) — Markfield (**55**) 2.vii.2001, det. DJLA — AJM
- 920a *S. inspersella* (Hüb.) — Allerthorpe Wood (**61**) 30.vii.2001 — E.D. Chesmore per HEB

## TORTRICIDAE

- 923 *Phtheochroa sodaliana* (Haw.) — Barry (**41**) 22.viii.2001 — D.R.W. Gilmore, M.C. Powell & DJS, **New to Wales**
- 929 *Gynnidomorpha vectisana* (H. & W.) — Llyn y gors (**44**) 5.vi.2001 — S. Bosanquet per JB
- 936 *Cochylimorpha straminea* (Haw.) — Cruden Bay (**93**) 28.vi.2001 — MRY
- 942 *Aethes piercei* Obraz. — Clais Fhearnaig (**92**) 3.vi.2001 — RJH & JRL
- 946 *A. rubigana* (Treits.) — Hutton Conyers (**65**) 25.vii.2001, det. HEB — CHF
- 949 *A. dilucidana* (Steph.) — Pembrey Burrows (**44**) 28.vii.2001 — JB
- 955 *Eupoecilia ambiguella* (Hüb.) — Catfield (**27**) 13.viii.2001 — A. Beaumont per DH
- 962 *Cochylis roseana* (Haw.) — Pembrey (**44**) 14.v.2001 — B. Stewart per JB; Nosterfield NR (**65**) 28.vii.2001, det. HEB — CHF
- 964a *C. molliculana* Zell. — Dymchurch (**15**) 30.vi.2001 — DO'K
- 966 *C. atricapitana* (Steph.) — Hutton Conyers (**65**) 15.vi.2001, det HEB — CHF
- 981 *Archips rosana* (Linn.) — Hutton Conyers (**65**) 24.vii.2001, det HEB — CHF
- 987 *Ptycholomoides aeriferanus* (H.-S.) — Hutton Conyers (**65**) 1.viii.2001, det HEB — CHF
- 998 *Epiphyas postvittana* (Walk.) — South Walney NR (**69**) 6.ix.1999 — NAL
- 999 *Adoxophyes orana* (F. v. R.) — Weymouth (**9**) 12.vi.2001 — PHS
- 1001 *Lozotaeniodes formosanus* (Geyer) — Hutton Conyers (**65**) 7.vii.2001, det. HEB — CHF
- 1008 *Philedone gerningana* ([D. & S.]) — Coull Links (**107**) 18.viii.2001 det. MRY — P. Entwistle per MRY
- 1023 *Cnephasia genitalana* P. & M. — Baldock (**20**) 25.vii.2001, genitalia det. DVM — K. Robinson per CWP; Stony Stratford (**24**) 22.vii.2001, det. DVM — M. Killeby per DVM; Rossington (**63**) 20.vii.2001, genitalia det. — RIH
- 1027 *Neosphaleroptera nubilana* (Hüb.) — Barry (**41**) 1.vii.2001 — DJS
- 1035 *Acleris bergmanniana* (Linn.) — Hutton Conyers (**65**) 16.vii.2001, det. HEB — CHF
- 1042 *A. rhombana* ([D. & S.]) — Auchernack (**95**) 4.x.2001 — MRY

- 1045 *A. notana* (Don.) — Auchernack (**95**) 4.x.2001 — MRY
- 1049 *A. permutana* (Dup.) — Pembrey Burrows (**44**) 29.viii.2001 — JB
- 1063 *Celypha striana* ([D. & S.]) — Hutton Conyers (**65**) 2.vii.2001, det. HEB — CHF
- 1073 *Olethreutes schulziana* (Fabr.) — Markfield (**55**) 15.viii.2001 — AJM
- 1079 *Piniphila bifasciana* (Haw.) — Markfield (**55**) 5.vii.2001 — AJM; Hutton Conyers (**65**) 7.vii.2001, det. HEB — CHF
- 1082 *Hedya pruniana* (Hüb.) — Hutton Conyers (**65**) 21.vi.2001, det. HEB — CHF
- 1085 *Metendothenia atropunctana* (Zett.) — Nosterfield NR (**65**) 28.vii.2001, det. HEB — CHF
- 1088 *Pseudosciaphila branderiana* (Linn.) — Middlebere (**9**) 26.vi.2001 — C. Manley per PHS
- 1097 *Endothenia gentianaeana* (Hüb.) — Pembrey (**44**) 14.v.2001 — B. Stewart per JB
- 1102 *E. nigricostana* (Haw.) — Pembrey (**44**) 14.v.2001 — B. Stewart per JB
- 1108 *Lobesia abscisana* (Doubl.) — Hutton Conyers (**65**) 26.vii.2001, det. HEB — CHF
- 1111a *Bactra lacteana* Caradja — Hutton Conyers (**65**) 1.viii.2001, genitalia det. HEB — CHF
- 1115 *Ancylis achatana* ([D. & S.]) — Hutton Conyers (**65**) 20.vii.2001, det. HEB — CHF
- 1123 *A. laetana* (Fabr.) — Craggan Wood (**94**) 25.v.2001 — MRY
- 1135 *E. demarniana* (F. v. R.) — Ratby (**55**) 30.vi.2001 — MS & AJM
- 1136 *E. immundana* (F. v. R.) — Hutton Conyers (**65**) 26.v.2001, det. HEB — CHF
- 1144 *E. signatana* (Dougl.) — Stony Stratford (**24**) 4.vii.2001, genitalia det. DVM — M. Killeby per DVM
- 1146 *E. rubiginosana* (H.-S.) — Ipswich (**25**) 26.vi.2001 — JH; Strath Aird, Skye (**104**) 18.vii.2001 det. MRY — P. Entwistle per MRY
- 1147 *E. cruciana* (Linn.) — Launde (**55**) 12.vii.2001, first record since VCH — H. Orridge, MS, AJM & APR
- 1157 *Crocidosoma plebejana* Zell. — Holoman, Raasay (**104**) 19.vi.2000, det. PHS — S. Bradley per PDMC
- 1163 *Zeiraphera ratzeburgiana* (Ratz.) — Hutton Conyers (**65**) 1.viii.2001, det. HEB — CHF
- 1168 *Gypsonoma sociana* (Haw.) — Stony Stratford (**24**) 21.vi.2001, det. DVM — M. Killeby per DVM
- 1169 *G. dealbana* (Fröl.) — Hutton Conyers (**65**) 24.vii.2001, det. HEB — CHF
- 1181 *Epiblema grandaevana* (L. & Z.) — Seaton Meadows (**55**) 22.vii.2001, det. K.R. Tuck — J. Harvey & R. Follows per APR
- 1192 *Eucosma conterminana* (Guen.) — Tickencote (**55**) 13.viii.2001 — APR; Idle Stop (**56**) 25.viii.2001 — HEB
- 1207 *Clavigesta purdeyi* (Durr.) — Hutton Conyers (**65**) 1.viii.2001, det. HEB — CHF
- 1232 *Pammene populana* (Fabr.) — Llanarthe (**44**) 27.vii.2001 — DJS
- 1233 *P. aurita* Razowski — Ketton (**55**) 1.viii.2001 — R. Follows & APR
- 1236 *P. fasciana* (Linn.) — Hutton Conyers (**65**) 26.vii.2001, det. HEB — CHF
- 1236a *P. herrichiana* (Hein.) — Staplegrove (**5**) 24.v.2001, det. JRL — JAMcG
- 1271 *P. gallicana* (Guen.) — Bath (**6**) 14.viii.2001 — DJG
- 1241 *Grapholita compositella* (Fabr.) — Wingate Quarry NR (**66**) 15.vii.2001 — A&JC
- 1242 *G. internana* (Guen.) — Cynwyl Elfed (**44**) 22.v.2001 — M. Townsend & JB
- 1245 *G. janthinana* (Dup.) — Hutton Conyers (**65**) 27.vii.2001, det. HEB — CHF
- 1246 *G. tenebrosana* (Dup.) — Swansea (**41**) larvae in fruits of *Rosa* 15.ix.2001 — M.J. White, *Ent. Rec.* **114**: 161-162

- 1259 *Cydia fagiglandana* (Zell.) — Hutton Conyers (65) 16.vii.2001, det. HEB — CHF  
 1261 *C. pomonella* (Linn.) — Hutton Conyers (65) 2.vii.2001, det. HEB — CHF  
 1281 *Dichrorampha simpliciana* (Haw.) — Hutton Conyers (65) 21.vii.2001, det. HEB — CHF

## EPERMENIIDAE

- 483 *Epermenia chaerophyllella* (Goeze) — Hutton Conyers (65) 16.vii.2001, det. HEB — CHF

## PYRALIDAE

- 1292 *Calamotropha paludella* (Hübner) — Gloucester (33) 2.vii.2001 — G. Avery per RGG; Rossington (63) 24.viii.2001 — RIH  
 1307 *Agriphila latistria* (Haw.) — Hutton Conyers (65) 22.viii.2001, det. HEB — CHF  
 1313 *Catoptria pinella* (Linn.) — Nosterfield NR (65) 28.vii.2001, det. HEB — CHF; Oldmeldrum (93) 13.viii.2001 — MRY  
 1316 *C. falsella* ([D. & S.]) — Duncanstone (93) viii. 2001 — A. Ewing per MRY  
 1317 *C. verellus* (Zinck.) — Southsea (11) 4.vii.2001 — JRL, *Ent. Gaz.* 52: 226; Lydd (15) 5.vii.2001 — K. Redshaw, *Atropos* 14: 46-47  
 1326 *Platytes cerussella* ([D. & S.]) — Yaxley (31) 25.vi.2001, first record since VCH — A. Frost per BD  
 1331 *Acentria ephemerella* ([D. & S.]) — Hutton Conyers (65) 17.viii.2000 — CHF  
 1335 *Scoparia ancipitella* (La Harpe) — Tulloch Moor (96) 22.vii.2001 — MRY  
 1345 *Elophila nymphaeata* (Linn.) — Hutton Conyers (65) 28.vi.2001, det. HEB — CHF  
 1350 *Nymphula stagnata* (Don.) — Hutton Conyers (65) 12.viii.2000 — CHF  
 1354 *Cataclysta lemnata* (Linn.) — Sampford Peverell (4) 2.vi.2001 — MRY  
 1360 *Hellula undalis* (Fabr.) — Hurn (11) 16.x.2001 — M. Jeffes per PHS  
 1361 *Pyrausta aurata* (Scop.) — Sampford Peverell (4) 27.vii.2001 — MRY  
 1368 *Loxostege sticticalis* (Linn.) — Hutton Conyers (65) 19.ix.2001, det. HEB — CHF  
 1370 *Sitochroa palealis* ([D. & S.]) — Tickencote (55) 13.viii.2001 — R. Follows, J. Wright, AJM & APR  
 1374 *Paratalanta hyalinalis* (Hübner) — Church End (31) 9.vii.2001 — JNG-D  
 1374a *Sclerocona acutellus* (Eversm.) — Milton-on-Stour (9) 26.vi.2001 — J. Burge per PHS  
 1397a *Diploseustis periersalis* (Walker) — Tresco (1) 19.x.2001, det. MRH & M. Shaffer — R. Fray & AJM, *Atropos* 16: 26, **Adventive species new to the British Isles, native to Australia**  
 1403a *Duponchelia fovealis* Zell. — Burnham-on-Sea (6) 27.xii.2001 — B.E. Slade, *Ent. Rec.* 114: 122; Walberton (13) eighteen between 4.viii and 25.x.2001 — JTR; Chichester (13) 22.viii.2001 — SP; Hexton Chalkpit (20) 20.x.2001 — CWP, *Ent. Rec.* 113: 255-256; Kingsthorpe (32) 19.x.2001 — P.D. Sharpe per DVM  
 1406a *Herpetogramma licarsialis* (Walk.) — Tresco (1) 12.x.2001 — AJM & MS, *Atropos* 16: 27  
 1408 *Palpita vitrealis* (Rossi) — Wellingborough (32) 22.x.2001 — D. Larkin per DVM; Flixton (59) 16.x.2001 — KM  
 1415 *Orthopygia glaucinalis* (Linn.) — Hutton Conyers (65) 12.viii.2000 — CHF  
 1417 *Pyralis farinalis* (Linn.) — Hutton Conyers (65) 10.vii.2001, det. HEB — CHF  
 1426 *Achroia grisella* (Fabr.) — Hutton Conyers (65) 23.viii.2001, det. HEB — CHF  
 1433 *Cryptoblabes bistriga* (Haw.) — Hutton Conyers (65) 7.vii.2001, det. Heb — CHF  
 1434 *C. gnidiella* (Mill.) — Bridport (9) larva in Spanish pomegranate 29.ix.2001, moth bred — MSP

- 1439 *Trachycera advenella* (Zinck.) — Banchory (91) 18.viii.2001 — RMP; Oldmeldrum (93) 15.viii.2001 — MRY
- 1447a *Sciota adelphella* (F. v. R.) — Portsmouth (11) 28.vi.2001 — IRT, *Ent. Gaz.* 52: 226; Hemingford Grey (31) 5.vii.2001 — JNG-D
- 1454 *Dioryctria abietella* ([D. & S.]) — Hutton Conyers (65) 7.vii.2001, det. HEB — CHF
- 1454b *D. sylvestrella* (Ratz.) — Shaggs (9) 1.viii.2001 — MSP & D.G. Green; Walberton (13) four, 11-30.viii.2001 — JTR; Hawkinge (15) 17.viii.1995 — T. Rouse; Dover (15) 3.viii.1997 — T. Rouse; Longrope Wood (15) 29.vi.1999 — J.H. Clarke; Greatstone (15) 30.vii.1999 — B. Benson & S.P. Clancy; Dymchurch (15) 30.vii.1999 — J. Owen; Tunstall Forest (25) two 18.viii.2001 — A. Butcher; Fulbourn (29) 9.viii.1997 — J. Dawson; St Catherine, Jersey (113) 31.vii.1999 — R. Long, *Atropos* 15: 16-19; 16: 78, **New to the British Isles**
- 1486 *Apomyelois bistriatella* (Hulst) — Flixton (59) 28.vii.2001 genitalia det. SMP — KM
- 1462 *Pempeliella dilutella* ([D. & S.]) — Wharley Point (44) larvae 24.v.2001 — S. Bosanquet per JB
- 1464 *Gymnancyla canella* ([D. & S.]) — Dawlish Warren (3) 4.viii.2001 — R.F. McCormick, S. Mitchell & BPH, *Ent. Rec.* 114: 40
- 1465 *Nephopterix angustella* (Hüb.) — Hemingford Grey (31) 21.viii.2001 — JNG-D
- 1470 *Euzophera pinguis* (Haw.) — Great Torrington (4) 21.vii.2001 — R.F. McCormick & BPH
- 1472 *E. bigella* (Zell.) — Newton Abbot (3) larvae in pomegranate 1.iv.2001, moth bred — BPH; Bridport (9) larva in Spanish pomegranate 29.ix.2001, moth bred — MSP
- 1476 *Epeorus cautella* (Walk.) — Fulham (21) 17.x.2001 — MRH
- 1477 *E. figulilella* (Gregs.) — Plymouth (3) larva on pomegranate, origin Iran, 5.i.2001, moth bred — RJH, *Ent. Gaz.* 53: 130
- 1480 *Homoeosoma nebulella* ([D. & S.]) — Ampthill Park (30) 21.ix.2001 — DVM
- 1481 *H. sinuella* (Fabr.) — Foulney Island (69) 18.vi.2000 — O. Breffit & NAL
- 1484 *Phycitodes saxicola* (Vaughan) — Loch Fleet (107) larvae on *Tripleurospermum maritima*, em. vi.2001 genitalia det. MRY — P. Entwistle per MRY
- 1485 *P. maritima* (Tengst.) — Datchworth (20) 19.viii.2001, genitalia det. — SMP, *Ent. Rec.* 113: 255-256

#### PTEROPHORIDAE

- 1496 *Cnaemidophorus rhododactyla* ([D. & S.]) — Trigon (9) 4.vii.2001 — C. Manley per PHS
- 1498 *Amblyptilia punctidactyla* (Haw.) — Bispham (60) 2.iv.2001 det. SMP — B. Brigden per SMP
- 1502 *Platyptilia isodactylus* (Zell.) — Pembrey Burrows (44) 24.v.2001 — S. Bosanquet & JB
- 1512 *Merrifieldia baliodactylus* (Zell.) — Swaffham (28) 20.vii.2001, det. C. Hart — AM
- 1513 *Pterophorus pentadactyla* (Linn.) — Hutton Conyers (65) 18.vii.2000 — CHF
- 1518 *Ovendenia lienigianus* (Zell.) — Flixton (59) 23.vii.2001 genitalia det. SMP — KM